


## CLAIMS

### In the Claims:

1. (Currently Amended) A compound of formula



wherein

~~group  $A_1-T-A_2$  is a bond  $A_4$  and  $A_2$  are each independently of the other a bond or a  $C_4-C_6$  alkylene bridge which is unsubstituted or substituted by from one to six identical or different substituents selected from halogen and  $C_3-C_6$  cycloalkyl;~~

~~$A_3$  is ethylene, propylene or butylene  $A_3$  is a  $C_4-C_6$  alkylene bridge which is unsubstituted or substituted by from one to six identical or different substituents selected from halogen and  $C_3-C_6$  cycloalkyl;~~

Y is O,  $NR_7$ , S, SO or  $SO_2$ ;

$X_1$  and  $X_2$  are each independently of the other fluorine, chlorine or bromine;

$R_{1[[1,]]}$  and  $R_2$  ~~and  $R_3$~~  are each independently of the other[[s]] H, halogen, OH, SH, CN, nitro,  $C_1-C_6$  alkyl,  $C_1-C_6$  haloalkyl,  $C_1-C_6$  alkylcarbonyl,  $C_2-C_6$  alkenyl,  $C_2-C_6$  haloalkenyl,  $C_2-C_6$  alkynyl,  $C_1-C_6$  alkoxy,  $C_1-C_6$  haloalkoxy,  $C_3-C_6$  alkenyloxy,  $C_3-C_6$  haloalkenyloxy,  $C_3-C_6$  alkynyloxy,  $-(S=O)-C_1-C_6$  alkyl,  $-(SO)_2-C_1-C_6$  alkyl or  $C_1-C_6$  alkoxycarbonyl; ~~the substituents  $R_3$  being independent of one another when m is 2;~~

$R_3$  is H;

Q is O,  $NR_5$ , S, SO or  $SO_2$ ;

W is O,  $NR_5$ , S, SO,  $SO_2$ ,  $C(=O)-O$ ,  $O-C(=O)$ ,  $C(=O)-NR_5$  or  $NR_5-C(=O)$ ;

T is a bond, O,  $NR_5$ , S, SO,  $SO_2$ ,  $C(=O)-O$ ,  $O-C(=O)$ ,  $C(=O)-NR_5$  or  $NR_5-C(=O)$ ;

D is CH or N;

$R_4$  is H, halogen, OH, SH, CN, nitro,  $C_4-C_6$  alkyl,  $C_4-C_6$  haloalkyl,  $C_4-C_6$  alkylcarbonyl,  $C_2-C_6$  alkenyl,  $C_2-C_6$  haloalkenyl,  $C_2-C_6$  alkynyl,  $C_4-C_6$  alkoxy,  $C_4-C_6$  haloalkoxy,  $C_3-C_6$  alkenyloxy,  $C_3-C_6$  haloalkenyloxy,  $C_3-C_6$  alkynyloxy,  $-(S=O)-C_4-C_6$  alkyl,  $-(SO)_2-C_4-C_6$  alkyl,  $C_4-C_6$  alkoxycarbonyl or  $N(R_6)_2$  wherein the two substituents  $R_6$  are independent of one another; ~~the substituents  $R_4$  being independent of one another when k is greater than 1;~~

~~R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are each independently of the others H, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>3</sub>haloalkyl, C<sub>4</sub>-C<sub>6</sub>haloalkyl, C<sub>4</sub>-C<sub>6</sub>haloalkylcarbonyl, C<sub>4</sub>-C<sub>6</sub>alkoxyalkyl, C<sub>4</sub>-C<sub>6</sub>alkylcarbonyl, C<sub>4</sub>-C<sub>6</sub>alkoxycarbonyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl-C<sub>4</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyl;~~

k is 1, 2 or 3 when D is nitrogen; or is 1, 2, 3 or 4 when D is CH;

m is 1 or 2;

R<sub>10</sub> is CN, NO<sub>2</sub>, -C(=NOR<sub>14</sub>)-R<sub>13</sub>, -C(=O)-R<sub>15</sub>, -C<sub>1</sub>-C<sub>6</sub>alkyl-O-R<sub>16</sub>, -NH-C(=O)-O-R<sub>17</sub> or -CH(O-R<sub>18</sub>)<sub>2</sub>~~any radical which comprises from one to three hetero atoms selected from O, N and S; and which may be connected to R<sub>12</sub> via a C<sub>1</sub>-C<sub>6</sub>alkylene bridge;~~

R<sub>11</sub> is H, C<sub>1</sub>-C<sub>12</sub>alkyl, halogen, CN or -C(=O)-R<sub>15</sub>~~any radical which comprises from one to three hetero atoms selected from O, N and S; or R<sub>11</sub> together with R<sub>12</sub> is a bond;~~

or R<sub>10</sub> and R<sub>11</sub>, together with the carbon atom to which they are bonded, are a five- to seven-membered ring which optionally contains from one to three hetero atoms selected from O, N and S and which is unsubstituted or substituted by from one to three identical or different substituents selected from halogen, OH, =O, SH, =S, =N-OH, =N-O-C<sub>1</sub>-C<sub>6</sub>alkyl, CN, nitro, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>6</sub>alkylcarbonyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>haloalkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy and C<sub>1</sub>-C<sub>6</sub>haloalkoxy;

R<sub>12</sub> is H, C<sub>1</sub>-C<sub>6</sub>alkyl, halo-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, phenoxy-C<sub>1</sub>-C<sub>6</sub>alkyl, CN, -C(=O)C<sub>1</sub>-C<sub>12</sub>alkyl, unsubstituted heterocyclyl, heterocyclyl which is substituted by one to three substituents ~~selected~~selected from the group consisting of OH, =O, SH, =S, halogen, CN, nitro, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>6</sub>alkylcarbonyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>haloalkenyl, C<sub>1</sub>-C<sub>6</sub>alkoxy and C<sub>1</sub>-C<sub>6</sub>haloalkoxy; or R<sub>12</sub> together with R<sub>11</sub> a bond; or is a C<sub>2</sub>-C<sub>6</sub>alkylene bridge which is connected to R<sub>10</sub>;

R<sub>13</sub> is C<sub>1</sub>-C<sub>12</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkylamino, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>2</sub>-C<sub>6</sub>haloalkenyl, C<sub>2</sub>-C<sub>6</sub>haloalkynyl; or R<sub>13</sub> together with R<sub>11</sub> is a C<sub>1</sub>-C<sub>6</sub>alkylene bridge; or R<sub>13</sub> together with R<sub>12</sub> a C<sub>3</sub>-C<sub>6</sub>alkylene bridge; preferably wherein R<sub>13</sub> is C<sub>1</sub>-C<sub>12</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>2</sub>-C<sub>6</sub>haloalkenyl or C<sub>2</sub>-C<sub>6</sub>haloalkynyl;

R<sub>14</sub> is H, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl or C<sub>3</sub>-C<sub>6</sub>alkynyl;

R<sub>15</sub> is H, OH, C<sub>1</sub>-C<sub>12</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>12</sub>haloalkyl, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>haloalkenyloxy, -N(R<sub>18</sub>)<sub>2</sub>, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, aryl, aryloxy, benzyloxy or heterocyclyl; or R<sub>15</sub> together with R<sub>12</sub> is an C<sub>1</sub>-C<sub>6</sub>alkylene bridge; and

R<sub>16</sub> is H, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl,

C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkoxy-C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>alkenyloxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>alkynyloxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl-C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl or benzyl;

R<sub>17</sub> is H, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy-C<sub>1</sub>-C<sub>6</sub>alkyl or benzyl;

the two substituents R<sub>18</sub> are each independently of the other C<sub>1</sub>-C<sub>12</sub>alkyl or benzyl or together are a C<sub>2</sub>-C<sub>6</sub>alkylene bridge;

or[[and]], where applicable, their possible E/Z isomers, E/Z isomeric mixtures and/or tautomers, in each case in free form or in salt form.

2. (Original) A compound of formula (I) according to claim 1 in free form.
3. (Original) A compound of formula (I) according claim 2, wherein X<sub>1</sub> and X<sub>2</sub> are chlorine or bromine.
4. (Cancelled).
5. (Currently Amended) A compound of formula (I) according claim 1[[4]], wherein A<sub>3</sub> is propylene.
6. (Original) A compound of formula (I) according to claim 1, wherein R<sub>11</sub> and R<sub>12</sub> together are a bond.
7. (Original) A pesticidal composition which comprises as active ingredient at least one compound of formula (I) according to claim 1 in free form or in agrochemically acceptable salt form, and at least one adjuvant.
8. (Original) A method of controlling pests, which comprises applying a pesticidal composition as described in claim 7 to the pests or to the locus thereof.
9. (New) A compound of formula (I) according to claim 1, wherein Y is oxygen.

10. (New) A compound of formula (I) according to claim 1, wherein R<sub>1</sub> and R<sub>2</sub> are bromine or chlorine.